



Product:	Cleanroom Gown Pro	
Trademark:	SAFE®	
REF:	474	
Manufacturer:	DACH Schutzbekleidung GmbH & Co. KG	

Classification:	CAT III according to the Personal Protective Equipment (PPE) Regulation (EU) 2016/425.		
Protection class:	Type	Standard	Description
	PB ^(*) [6]	EN 13034	Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals
		EN 1149-5	Protective clothing - Electrostatic properties - Part 5: Material performance and design requirements
	(*) "PB" means Partial Body Protection.		
	<div> <div> TYP PB [6] EN 13034  </div> <div> EN 1149-5  </div> </div>		
Materials:	<ul style="list-style-type: none"> Fabric: Tri-laminate, 100 % polypropylene, antistatic treated. Elastic: synthetic elastomer, free from natural latex 		
Product description:	<p>The Cleanroom Gown Pro is made of sturdy trilaminate (SMS). It opens and closes at the front with press studs and is equipped with a sewn-on inside pocket.</p> <p>The outer end of the sleeves is an elastic sewn on using an overlock seam.</p> <p>Conforms to the HACCP concept. Cleanroom classification of the material: Category II according to IEST-RP-CC003.3, Helmke Drum Test. According to the assessment of the laboratories, category II products can be applied in ISO cleanrooms of classes 7-9.</p>		

Product performance:	Physical Properties
-----------------------------	----------------------------

	Property	Standard	Unit	Result	EN-Class/ Pass	
	Abrasion resistance	EN 530 method 2	Cycles	> 500	Pass	
	Tear resistance (trapezoidal) (Tansversal/longitudinal)	EN ISO 9073-4	Cycles	>60/>20	Pass	
	Tensile strength (Tansversal/longitudinal)	EN ISO 13934-1	N	>100/>60	Pass	
	Puncture resistance	EN 863	N	>5	Pass	
	Seam strength	EN ISO 13935-2	N	>75	Pass	
	Resistance against penetration by liquid chemicals accordingly EN ISO 6530:					
	Chemical		Repellency-index [%]	EN-Class	Penetration-index [%]	EN-Class
	Sulphuric Acid (30%)		>95	3	< 1	3
	Sodium Hydroxide (10%)		>95	3	< 1	3
	Butan-1-ol		< 80	0	> 10	0
	o-xilene		0	0	> 10	0
	Test results Helmke-Drum Test IEST-PR-CC003.4 (Average)					
	Particle size		Particle count (per cm²)		Helmke-Drum Test IEST-PR-CC003.4	
	≥ 0,3 µm - < 0,5 µm		0,0017			
	≥ 0,5 µm - <1,0 µm		0,0024			
≥ 1,0 µm - < 5,0 µm		0,0051				
≥ 5,0 µm		0,0010				
Size:	One size (Length: 105 cm; Width: 140 cm). Suitable for people with a height from 160 cm to 190 cm.					
Colour:	White					

Packaging and variants:	Packaging	Quantity
	Bag	1 pcs.
	Shipping carton	50 pcs.
GTIN:	474	4049825000839
Storage:	Store dry in original packaging without direct sunlight. (see packaging) If the storage conditions are observed, the product has a storage life of 10 years. (see labeling on the product)	
Environmental sustainability and disposal:	In the case of contaminated products, the type and extent of contamination determines the disposal, and the applicable laws and regulations of the relevant country must be followed. A non-contaminated product can be thermally recycled or disposed of in landfills without releasing toxic substances.	