## **Product Data Sheet**



Manufacturer:	DACH Schutzbekleidung GmbH හ Co. KG	
Trademark:	SAFE®	
Product:	BioSafe	
REF:	561	

Classification:	CAT III personal protective equipment according to Regulation (EU) 2016/425 for PPE.		
Protection class:	Туре	Standard:	Description
	4	EN 14605	Protective clothing against liquid chemicals - Performance requirements for clothing with spray- tight connections
	5	EN ISO 13982-1	Protective clothing for use against solid particulates - Part 1: Performance requirements for chemical protective clothing providing protection to the full body against airborne solid particulates
	6	EN 13034	Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals
	В	EN 14126	Protective clothing - Performance requirements and test methods for protective clothing against infective agents
		EN 1149-1, EN 1149-5	Protective clothing - Electrostatic properties - Part 1: Test method for measurement of surface resistivity; Part 5: Material performance and design requirements





			EN 1073-2		methods for non-ver	gainst radioactive 2: Requirements and test itilated protective clothing adioactive contamination	
		TYP 4	TYP 5	TYP 6	EN14126	EN 1149-5 EN1073-2	
Material:		The inside is soft, skin-friendly non-woven fabric, made of multilayer fine fiber and microfiber non-wove polypropylene. The outer side is covered with microporous PE film, which is breathable and liquid repellent.					
<b>Product description:</b> The BioSafe protective suit from DACH provides reliable protection against (high-lev and biological hazards.			(high-level) sprayed chemicals				
		The ergonomic cut offers a high degree of freedom of movement. The elastic waist area ensures a flexible fit with every movement. With enclosed elastic around the hood opening and leg ends as well as elastic knit cuffs with thumb loops for added security in combination with gloves.					
The comforta			rtable hood guarantees an optimal fit without slipping while working even with respirators.				
		The zipper cover	is self-adhesive and	elf-adhesive and has an extra long chin cover for increased protection from liquids.			
All seams are tap			ped over to prevent liquids from penetrating through the seams.				
		This suit meets the Microporous PP-		Type 4B chemic	al protective suits ever	without taping.Material:	
Product Performance:	Phy	vsical Properties					
r chomance.	Pro	pperty	Standard	Unit	Result	EN-Class/ Pass	
Fle res Te (tr Te Pu res		rasion resistance	EN 530 method 2	Cycles	> 100	Pass	
		x cracking istance	EN ISO 7854	Cycles	> 15.000	Pass	
		ar resistance apezoidal)	EN ISO 9073-4	N	> 10	Pass	
		sile strength	EN ISO 13934-1	N	> 30	Pass	
		ncture istance	EN 863	N	> 5	Pass	
		am strength	EN ISO 13935-2	N	> 50	Pass	
	Sea	ani su engui					



## **Product Data Sheet**



Chemical	Repellency-index [%]	EN-Class	Penetration-index [%]	E N - C I a s s
Sulphuric Acid (30%)	>95	3	<1	3
Sodium Hydroxide (10%)	>95	3	<1	3
Butan-1-ol	>95	3	<1	3
o-xilene	< 80	-	<1	3
Resistance against permeation by liquid c	hemicals accordingly	EN ISO 6529:		
Chemical	Breakthrough time (	min)	EN-Class	
Sulphuric Acid (30%)	28		2	
Protection against infective agents accordingly EN 14126:				
Test method	Standard	Unit	Result	E N - C I a s s
Resistance to Penetration by Blood- Borne Pathogens - Test method using Phi-X174 Bacteriophage	ISO 16603	kPa	20	6
Resistance to Wet Microbial Penetration	EN ISO 22610	min	> 75	6
Resistance to Liquid Aerosol Penetration	ISO 22611	CFU*	Log <sub>10</sub> > 5	3
Resistance to Dry Microbial Penetration	EN ISO 22612	CFU*	Log <sub>10</sub> ≤ 1	3
*CFU = Colony forming units	1	1	1	
M - XXXL				
White				



Size:

Colour:

## **Product Data Sheet**



Packaging and variants:	Packaging	Quantity	
	Bag	1 pc.	
	Shipping carton	50 pcs.	
GTIN:	561/M	4049825004233	
	561/L	4049825004240	
	561/XL	4049825004257	
	561/XXL	4049825004264	
	561/XXXL	4049825004271	
Use:	Single use.		
	Please read the usage information before use.Check the protective suit for any damage.Do not use the protective suit if it is damaged.		
Marking:	The labeling of the product and packaging complies with the relevant regulations.		
Storage:	Store without direct sunlight, dry in original packaging, see also packaging.		
	If the storage conditions are observed, the product has a storage life of 10 years.		
Disposal:	The product can be thermally recycled or disposed of in landfills without releasing toxic substances.		
	In the case of contaminated products, the type and extent of contamination determines the disposal, and applicable laws and regulations must be followed.		

