## **Product Data Sheet**



Product:	SafeGuard Boot	
Trademark:	SAFE®	
REF:	974	
Manufacturer:	DACH Schutzbekleidung GmbH හ Co. KG	

Classification:	CAT III according to the Personal Protective Equipment (PPE) Regulation (EU) 2016/425.			
	Туре	Standard	Description	
	PB <sup>(*)</sup> [6]	EN 13034	Protective clothing against liquid chemicals - Performance requirements for chemical protective clothing offering limited protective performance against liquid chemicals	
		EN 1149-5	Protective clothing - Electrostatic properties - Part 5: Material performance and design requirements	
	(*) "PB" means Partial Body Protection.			
	TYP PB [6] EN 13034	EN 1149-5		
Material:	<ul> <li>Fabric: Tri-laminate, 100% polypropylene, antistatic treated.</li> <li>Elastic: synthetic elastomer, free from natural latex</li> </ul>			
Product description:	The SafeGuard Boot is made of a particle-filtering, liquid-repellent spunbonded fabric manufactured with SMS technology.			
	The opening of the boot cover is bordered with an elastic. Cleanroom classification: Category II according to IEST-RP-CC003.3, Helmke Drum Test. According to the assessment of the laboratories, category II products can be applied in ISO cleanrooms of classes 7-9.			
Product performance:	Physical Properties			



## **Product Data Sheet**



Property	Standard	Unit	Result	EN-Class/ Pass	
Abrasion resistance	EN 530 method 2	Cycles	> 500	Pass	
Tear resistance (trapezoidal) (Tansversal/ longitudinal)	EN ISO 9073-4	Cycles	>60/>20	Pass	
Tensile strength (Tansversal/ longitudinal)	EN ISO 13934-1	N	>100/>60	Pass	
Puncture resistance	EN 863	N	>5	Pass	
Seam strength	EN ISO 13935-2	N	>75	Pass	
Resistance again	st penetration by	liquid chemicals	accordingly EN IS	0 6530:	
Chemical		Repellency- index [%]	EN-Class	Penetration- index [%]	EN-Class
Sulphuric Acid (30%)		>95	3	<1	3
Sodium Hydroxide (10%)		>95	3	<1	3
Butan-1-ol		< 80	0	> 10	0
o-xilene		0	0	> 10	0
Test results Heim	Test results Helmke-Drum Test IEST-PR-CC003.4 (Average)				
Particle size		Particle count (p	er cm²)	Helmke-Drum Test IEST-PR-CC003.4	
≥ 0,3 µm - < 0,5 µm		0,0079		_ IEST-PR-CC003.4	
≥ 0,5 µm - <1,0 µm		0,0109			
≥ 1,0 µm - < 5,0 µm		0,0230			
≥ 5,0 µm	≥ 5,0 µm		0,0043		
	ength: 39 cm, height: 45 cm Suitable for shoe size 38 to 45.				



Size:

Color:

## **Product Data Sheet**



Packaging and variants:	Packaging	Quantity	
	Bag	5 Pair	
	Shipping carton	100 Pair	
GTIN:	974	4049825004141	
Storage:	Store dry in original packaging without direct sunlight. (see packaging) If the storage conditions are observed, the product has a storage life of 10 years. (see labeling on the product)		
Environmental sustainability and disposal:	In the case of contaminated products, the type and extent of contamination determines the disposal, and the applicable laws and regulations of the relevant country must be followed. A non-contaminated product can be thermally recycled or disposed of in landfills without releasing toxic substances.		